



DriveKP™

FOLIAR AND SOIL APPLIED LIQUID NUTRIENT

P₂O₅ 19%

K₂O 26%

Mo 0.05%

0-19-26

GUARANTEED ANALYSIS

Available Phosphate (P₂O₅) **19.0%**
Soluble Potash (K₂O) **26.0%**
Molybdenum (Mo) **0.05%**

Derived from: Dipotassium phosphate
and sodium molybdate.

2.5 US Gal / 9.5 Liters

12.7 lbs per Gallon @ 68° F

1.5 kgs per Liter @ 20° C

Net Weight 31.6 lbs / 14.3 kgs

DO NOT STORE BELOW 40° F (5° C)



FBSciences Inc.

153 N. Main St, Suite 100 | Collierville, TN 38017 USA

EMERGENCY 1-800-424-9300

USA092722 | F1837

31100332



DIRECCIONES FOR USE: DO NOT mix with other products in concentrated form without first adding water. Recommended mixing sequence: water, adjuvants, pesticides, FBSciences nutrient products, other fertilizers, balance of water while agitating. When mixing with calcium or micronutrient fertilizers, add a citric acid buffer until the pH is 4.5 to 5.0 to improve compatibility and uptake. Ensure agitation is available when mixing with calcium fertilizers. A standard jar test is recommended before tank mixing.

FOLIAR APPLICATIONS: For best results DO NOT spray in the heat of the day when temperatures are above 85 degrees or when the plant is under moisture stress. Apply with sufficient water for complete coverage. DO NOT spray to the point of runoff. Use as fine of a spray mist as possible. Allow 3-4 hours after application before sprinkler irrigation to avoid washing the product off.

RATES FOR FOLIAR APPLICATIONS: Apply 1-6 quarts/acre any time during the season; repeat as needed.

SOIL APPLICATIONS: For best results, use watered-in applications. May be applied via an irrigation system or prior to irrigation. Apply enough water to move the product into the area of active rooting, but not excessive amounts that may leach. Use the higher label rates with surface and flood irrigation.

RATES FOR SOIL APPLICATIONS: Apply 1-5 gallons/acre any time during the season; repeat as needed.

WARNING: The application of fertilizer material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

WARNING

READ ENTIRE LABEL BEFORE USE | KEEP OUT OF REACH OF CHILDREN



HAZARD STATEMENTS May be corrosive to metals. Causes eye and skin irritation. May cause respiratory irritation.

AVISO PELIGRO Puede ser corrosivo para los metales. Causa irritación en los ojos y de la piel. Puede causar irritación respiratoria.

PRECAUTIONARY STATEMENTS Wash hands thoroughly after handling. Wear protective gloves.

IF ON SKIN: Wash with plenty of water. Specific treatment (see First Aid on the SDS or this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Keep only in original container. Absorb spillage to prevent material-damage. Store in a corrosive resistant container with a resistant inner liner. Store locked up. Dispose of contents/container in accordance with local/national regulations.

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>. See patent and other patents pending: <http://www.fbsciencespatents.com>. Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

INSTRUCCIONES DE USO: NO mezclar con otros productos en forma concentrada sin antes añadir agua. Secuencia de mezcla recomendada: agua, adyuvantes, pesticidas, productos nutritivos de FBSciences, otros fertilizantes y luego agitar. Se recomienda una prueba de jarra estándar antes de mezclar en el tanque. Al mezclar con fertilizantes de calcio o micronutrientes, agregar un buffer de ácido cítrico hasta que el pH esté de 4.5 a 5.0 para mejorar la compatibilidad y la absorción. Asegurarse de que haya agitación disponible al mezclar con fertilizantes de calcio. Se recomienda una prueba de jarra estándar antes de mezclar en el tanque.

APLICACIONES FOLIARES: Para mejores resultados NO rociar en el calor del día o cuando las temperaturas estén sobre 85 grados o cuando la planta esté bajo estrés por humedad. NO rociar hasta el punto de escurrimiento. Usar una niebla de rociado tan fina como sea posible. Permitir de 3-4 horas después de la aplicación antes de regar por aspersión para evitar lavar el producto.

TASAS FOLIARES: Aplicar de 1 a 6 cuartos de galón por acre en cualquier momento durante la temporada; repetir según sea necesario.

APLICACIONES AL SUELO: Para mejores resultados, usar aplicaciones incorporadas con agua. Puede aplicarse a través de un sistema de riego o antes del riego. Aplicar suficiente agua para mover el producto al área de enraizamiento activo, pero no en cantidades excesivas que puedan filtrarse. Usar las tasas de etiqueta más altas con riego superficial y por inundación.

TASAS DE SUELO: Aplicar de 1 a 5 galones por acre en cualquier momento durante la temporada; repetir según sea necesario.